

### ***AMENDMENTS TO THE CLAIMS***

Please amend the claims as indicated hereafter (where underlining “\_” denotes additions and strikethrough “-” denotes deletions).

#### ***Claims:***

1. (Currently Amended) A communication method, comprising:  
receiving a request for a telecommunications service from a wireless  
client;  
providing by a cellular base station a local exchange point of presence to  
the wireless client in response to the request, the local exchange  
point of presence selected based on the geographic location of the  
wireless client; and  
providing the telecommunications service to the wireless client with a local  
telephone number through the local exchange point of presence,  
wherein the cellular base station provides cellular telephone  
services.
2. (Original) The telecommunications method of claim 1, wherein  
the telecommunications service comprises at least one of a messaging service,  
an information service, a paging service, a voicemail service, a facsimile service,  
an interactive voice response service, and a text-to-speech service.

3. (Original) The communications method of claim 1, wherein the wireless client comprises at least one of a mobile telephone, a personal digital assistant, and an interactive pager.

4. (Original) The communications method of claim 1, further comprising establishing a connection to the wireless and providing a menu of telecommunications services capable of being displayed by the wireless client.

5. (Original) The communications method of claim 4, wherein establishing a connection to the wireless device comprises exchanging user information over a control channel.

6. (Original) The communications method of claim 1, wherein receiving the request for telecommunications service comprises receiving a user input through a graphical user interface displayed on the wireless client.

7. (Original) The communications method of claim 1, wherein providing the local exchange point of presence to the wireless client comprises detecting a geographic location of the wireless client.

8. (Original) The communication method of claim 7, wherein the geographic location of the wireless client is detected during call set-up.

9. (Original) The communications method of claim 1, wherein providing the local exchange point of presence to the wireless client comprises referencing a lookup table associating geographic locations with local contact information.

10. (Original) The communications method of claim 1, wherein providing the local exchange point of presence comprises providing a local telephone number to the wireless client.

11. (Original) The communications method of claim 10, wherein the local telephone number includes an exchange corresponding to the geographic location of the wireless client.

12. (Original) The communications method of claim 1, wherein providing the local exchange point of presence comprises providing a local IP address to the wireless client.

13. (Original) The communications method of claim 1, wherein providing the telecommunications service comprises routing messages from a local gateway over an intermediate network to a remote gateway, thereby avoiding long distance charges.

14. (Original) The communications method of claim 14, wherein the intermediate network comprises at least one of the Internet, the World Wide Web, and a telephone network.

15. (Original) The communications method of claim 1, wherein providing the telecommunications service comprises routing messages from a local gateway wireless client through at least one top node to a remote gateway, thereby avoiding long distance charges.

16. (Original) The communications method of claim 1, wherein providing the telecommunications service comprises communicating with the wireless client from a first gateway local to the geographic location of the wireless client.

17. (Original) The communication method of claim 16, further comprising:

communicating with a second wireless client from a second gateway local to the geographic location of the second wireless client, the first and second gateways being geographically remote from each other; and

routing messages from the first gateway to the second gateway through at least one of an intermediate network and a top node, thereby avoiding long distance charges.

18. (Original) The communication method of claim 16, further comprising:

communication with a server system from a second gateway local to the geographic location of the server system, the first and second gateways being geographically remote from each other; and

routing messages from the first gateway to the second gateway through at least one of an intermediate network and top node, thereby avoiding long distance charges.

19. (Previously Presented) The communications method of claim 1, wherein receiving a request for a telecommunications service from a

wireless client comprises:

establishing a connection to the wireless client including

exchanging user information over a control channel;

examining the user information to verify that

telecommunication services are available to the client

providing a menu of available telecommunication services;

and

receiving input from the wireless client, the input chosen

from the menu of telecommunication services;

wherein providing by a cellular base station a local exchange point of

presence to the wireless client in response to the request

comprises:

detecting a geographic location of the wireless client, the

geographic location encompassing a business or

residential address;

referencing the geographic location in a lookup table; and

providing local contact information from the lookup table, the

local contact information associated with the

geographic location in the lookup table; and

wherein providing the telecommunications service to the wireless client with a local telephone number through the local exchange point of presence comprises:

- receiving a message at a local gateway;
- determining a remote gateway for transmission of the message; and
- routing the message to the remote gateway through at least one of an intermediate network and a top node.

20. (Currently Amended) A communication apparatus comprising a gateway configured to:

receive a request for a telecommunications service from a wireless client; provide by a cellular base station a local exchange point of presence, wherein the cellular base station provides cellular telephone services to the wireless client in response to the request, the local exchange point of presence based on the geographic location of the wireless client; and provide the telecommunications service to the wireless client with a local telephone number through the local exchange point of presence, wherein the cellular base station provides cellular telephone services.

21. (Currently Amended) A communications apparatus,  
comprising:

- means for receiving a request for a telecommunications service from a  
wireless client;
- means for providing by a cellular base station a local exchange point of  
presence to the wireless client in response to the request, the local  
exchange point of presence selected based on the geographic  
location of the wireless client; and
- means for providing the telecommunications service to the wireless client  
with a local telephone number through the local exchange point of  
presence, wherein the cellular base station provides cellular  
telephone services.



22. (Currently Amended) A computer-readable ~~storage~~ medium encoded with a computer program comprising:

logic configured to receive a request for a telecommunications service from a wireless client;

logic configured to provide by a cellular base station a local exchange point of presence to the wireless client in response to the request, the local exchange point of presence selected based on the geographic location of the wireless client; and

logic configured to provide the telecommunications service to the wireless client with a local telephone number through the local exchange point of presence, wherein the cellular base station provides cellular telephone services.

23. (Previously Presented) The computer readable storage medium of claim 22, wherein the computer-readable medium comprises at least one of a disk, a client device, and a network device.

24. (New) The computer readable storage medium of claim 22, wherein the telecommunications service comprises at least one of a messaging service, an information service, a paging service, a voicemail service, a facsimile service, an interactive voice response service, and a text-to-speech service.